



Think ahead.

Tork Universal Centerfeed Hand Towel, 2-Ply

RC530



Description

- Hygienic - Touch only the dispensing towel and reduce cross contamination.
- High capacity to reduce labor cost and refill frequency.
- Environmental Label

Product Certifications



Product Details

Number of Sheets	530
Roll width	7.6 in
Roll diameter	7.8 in
Embossing	Yes
Core inside diameter	2.9 in
Print	No
Sheet length	11.75 in
Ply	2
Roll length	518.96 null
System	M23
Color	White, White

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	73286622907	10073286622904	7322540850208
Packaging Material	Roll	Carton	-
Pieces	1	6 (6 CON)	360 (60 TRP)
Height	7.8 in	8.5 in	102 in
Length	7.6 in	24.02 in	48 in
Width	7.8 in	15.98 in	40 in
Gross Weight	2.45 lb	16.49 lb	989.57 lb
Net Weight	2.45 lb	14.72 lb	883.32 lb
Volume	0.27 ft	1.89 ft	113.33 ft
Layers Per Pallet	-	-	12
TRP Per Layer	-	-	5



Think ahead.

Tork Universal Centerfeed Hand Towel, 2-Ply

RC530

Compatible Products



DISP M23 CFEEED TWL SMK 1/CS
93T

Environmental Information

Content

The product is made from

Recycled fibers
Chemicals

The packaging material is made from paper or plastic.

Material

Recycled fibers

Recycling of paper is an efficient use of resources as the wood fibers are used more than once.

High demands are put on quality and purity of recovered fibers, considering each step of the chain (collecting, sorting, transporting, storage, use), to ensure safe and hygienic products.

Recovered paper can be produced both from collected newsprint, magazines and office waste. The choice of recovered paper grades, is made for each product, depending on its specific requirements on performance properties and brightness. The paper is dissolved in water, washed and treated with chemicals under high temperature and screened to separate out impurities.

Bleaching is a cleaning process of the fibers that is often used. The aim is then to achieve a bright pulp, but also to get a certain purity of the fiber in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

Bleaching of the recovered pulp is made with chlorine-free bleaching agents (hydrogene peroxide and sodium dithionite). Except for Natural Napkins that are unbleached.

For bleached products we use bleaching agents (to increase the brightness of pulp from recovered paper).

Chemicals

All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

To control product performance we use additives:

- Wet strength agents (for Wipers and Hand Towels)
- Dry strength agents (is used together with mechanical treatment of the pulp to make strong products like wipers)
- For colored papers dyes and fixatives (to secure perfect fastness of the color) are added
- For printed products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use water soluble glue to secure the integrity of the product

Tork Universal Centerfeed Hand Towel, 2-Ply

RC530

In most of our mills we do not add optical brighteners but it often occurs in recovered paper since it is used in printing paper.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibers to prevent fiber loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke and to utilize recovered fibers we use:

- Pulping aid (chemicals that help to repulp wet strong paper)
- Flocculation chemicals (that help to clean out printing inks and fillers from recovered paper)
- Bleaching agents (to increase the brightness of pulp from recovered paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 19-04-2019 Revision date: 22-01-2025
Production	This product is produced at Essity Professional Hygiene NA Blending - US mill.
Disposal/destruction of used product	This product is used both for personal hygiene and for industrial processes. When used in industrial processes the product might through use be contaminated with different substances. This will determine how the used product will be handled / disposed of /destroyed. The product itself is suitable for incineration. If used in industrial processes contact local authorities before destruction. When used for personal hygiene it can be collected together with household waste.

Essity North America Inc., Cira Centre, Suite 2600 2929 Arch Street, Philadelphia, PA 19104, USA